

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**ULTRABOND ACRYL-8CC, Comp. A**

Revision date: 26.06.2018

Product code: SDB00030US

Page 1 of 7

**1. Identification****Product identifier**

ULTRABOND ACRYL-8CC, Comp. A

**Recommended use of the chemical and restrictions on use****Use of the substance/mixture**

Adhesive mortar for fastening elements A-component (resin)

**Uses advised against**

no restriction

**Details of the supplier of the safety data sheet**

Company name: Adhesives Technology Corp.  
 Street: 450 East Copans Road  
 Place: USA Pompano Beach, FL 33064  
 Telephone: (800) 892-1880  
 Internet: www.atcepoxy.com

**Emergency phone number:** CHEM TEL: (800) 255-3924 (24/7)**2. Hazard(s) identification****Classification of the chemical****29 CFR Part 1910.1200**

Respiratory or skin sensitization: Skin Sens. 1

Specific target organ toxicity single exposure: STOT SE 3 (respiratory tract irritation)

**Label elements****29 CFR Part 1910.1200****Signal word:** Warning**Pictograms:****Hazard statements**

May cause an allergic skin reaction  
 May cause respiratory irritation

**Precautionary statements**

If medical advice is needed, have product container or label at hand.  
 Keep out of reach of children.  
 Use only outdoors or in a well-ventilated area.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 If skin irritation or rash occurs: Get medical advice/attention.  
 Wash contaminated clothing before reuse.  
 Store locked up.  
 Dispose of contents/container to to in accordance with local/regional/national/international regulation.

**Hazards not otherwise classified**

No information available.

**3. Composition/information on ingredients****Mixtures**

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### ULTRABOND ACRYL-8CC, Comp. A

Revision date: 26.06.2018

Product code: SDB00030US

Page 2 of 7

#### Hazardous components

CAS No	Components	Quantity
97-90-5	ethylene dimethacrylate	11.69 %
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol	6.677 %
38668-48-3	1,1'-(p-Tolylimino)dipropan-2-ol	0.9682 %

#### 4. First-aid measures

##### Description of first aid measures

###### General information

Take off immediately all contaminated clothing and wash it before reuse.

###### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

###### After contact with skin

Take off immediately all contaminated clothing and wash it before reuse.

Medical treatment necessary.

###### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

###### After ingestion

Rinse mouth immediately and drink plenty of water.

##### Most important symptoms and effects, both acute and delayed

Allergic reactions

##### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### 5. Fire-fighting measures

##### Extinguishing media

###### Suitable extinguishing media

Extinguishing powder

Water spray jet

###### Unsuitable extinguishing media

Full water jet

##### Specific hazards arising from the chemical

Pyrolysis products, toxic

Carbon monoxide

##### Special protective equipment and precautions for fire-fighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing.

##### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### 6. Accidental release measures

##### Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fume/vapour/spray. Avoid contact with skin, eyes and clothes.

Use personal protection equipment.

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**ULTRABOND ACRYL-8CC, Comp. A**

Revision date: 26.06.2018

Product code: SDB00030US

Page 3 of 7

**Environmental precautions**

Do not allow to enter into surface water or drains.

**Methods and material for containment and cleaning up**

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

**Reference to other sections**

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

**7. Handling and storage**

**Precautions for safe handling**

**Advice on safe handling**

Use only outdoors or in a well-ventilated area.

When using do not eat, drink or smoke.

Wash hands before breaks and after work.

**Advice on protection against fire and explosion**

No special fire protection measures are necessary.

**Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep container tightly closed.

Keep only in the original container in a cool, well-ventilated place.

**Advice on storage compatibility**

Do not use for products which come into contact with the food stuffs.

**Further information on storage conditions**

storage temperature : 5-25°C

**8. Exposure controls/personal protection**

**Control parameters**

**Exposure limits**

CAS No.	Substance	ppm	mg/m <sup>3</sup>	f/cc	Category	Origin
14808-60-7	Silica, crystalline (as respirable dust)	-	0.05		TWA (8 h)	REL
14808-60-7	Silica, crystalline quartz, respirable dust	(Z-3)	(Z-3)		TWA (8 h)	PEL
14808-60-7	Silica, crystalline quartz, total dust	-	(Z-3)		TWA (8 h)	PEL

**Additional advice on limit values**

The contained quartz is firmly bound in the pasty component, and thus not freely available during use, so that a risk of dust inhalation is excluded.

**Exposure controls**



**Protective and hygiene measures**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### ULTRABOND ACRYL-8CC, Comp. A

Revision date: 26.06.2018

Product code: SDB00030US

Page 4 of 7

#### Eye/face protection

Wear eye protection/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Wearing time with occasional contact (splashes): 0,4mm NBR (Nitrile rubber) &gt;480min (EN374)

Wearing time with permanent contact 0,5mm NBR (Nitrile rubber) &gt;480min (EN374)

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state:	Paste	
Color:	light beige	
pH-Value:		not determined

#### Changes in the physical state

Melting point/freezing point:	not determined
Initial boiling point and boiling range:	not determined
Flash point:	not applicable

#### Flammability

Solid:	not determined
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined

#### Auto-ignition temperature

Solid:	not determined
Gas:	not applicable
Decomposition temperature:	not determined

#### Oxidizing properties

Not oxidising.	
Vapor pressure:	not determined
Density (at 20 °C):	1,71 g/cm <sup>3</sup>
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.

#### Solubility in other solvents

not determined	
Partition coefficient:	not determined
Vapor density:	not determined
Evaporation rate:	not determined

#### Other information

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### ULTRABOND ACRYL-8CC, Comp. A

Revision date: 26.06.2018

Product code: SDB00030US

Page 5 of 7

Solid content:

not determined

## 10. Stability and reactivity

### Reactivity

No hazardous reaction when handled and stored according to provisions.

### Chemical stability

The product is stable under storage at normal ambient temperatures.

### Possibility of hazardous reactions

No known hazardous reactions.

### Conditions to avoid

none/none

### Incompatible materials

No information available.

### Hazardous decomposition products

No known hazardous decomposition products.

## 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol				
	oral	LD50 mg/kg	11200	Rat	
	dermal	LD50 mg/kg	> 5000	Rabbit	
38668-48-3	1,1'-(p-Tolylimino)dipropan-2-ol				
	oral	LD50 mg/kg	27,5	Rat	
	dermal	LD50 mg/kg	>2000		

Carcinogenicity (IARC): Silica dust, crystalline, in the form of quartz or cristobalite (CAS 14808-60-7) is listed in group 1.

#### Aspiration hazard

The contained quartz is firmly bound in the pasty component, and thus not freely available during use, so that a risk of dust inhalation is excluded.

#### Further information

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

## 12. Ecological information

### Ecotoxicity

The product is not: Ecotoxic.

### Persistence and degradability

The product has not been tested.

### Bioaccumulative potential

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**ULTRABOND ACRYL-8CC, Comp. A**

Revision date: 26.06.2018

Product code: SDB00030US

Page 6 of 7

The product has not been tested.

**Mobility in soil**

The product has not been tested.

**Other adverse effects**

No information available.

**Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

**13. Disposal considerations****Waste treatment methods****Advice on disposal**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

**Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

**14. Transport information****US DOT 49 CFR 172.101****Proper shipping name:**

Not a hazardous material with respect to these transport regulations.

**Marine transport (IMDG)****UN number:**

No dangerous good in sense of this transport regulation.

**UN proper shipping name:**

No dangerous good in sense of this transport regulation.

**Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**Packing group:**

No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)****UN number:**

No dangerous good in sense of this transport regulation.

**UN proper shipping name:**

No dangerous good in sense of this transport regulation.

**Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**Packing group:**

No dangerous good in sense of this transport regulation.

**Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**Special precautions for user**

No information available.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

not applicable

**15. Regulatory information****U.S. Regulations****National Inventory TSCA**

All ingredients in this material are included on or exempted from listing on the TSCA Inventory

**National regulatory information**

SARA Section 311/312 Hazards:

ethylene dimethacrylate (97-90-5): Immediate (acute) health hazard

Methacrylic acid, monoester with propane-1,2-diol (27813-02-1): Immediate (acute) health hazard

1,1'-(p-Tolylimino)dipropen-2-ol (38668-48-3): Immediate (acute) health hazard

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### ULTRABOND ACRYL-8CC, Comp. A

Revision date: 26.06.2018

Product code: SDB00030US

Page 7 of 7

#### State Regulations

##### Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product contains no chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

##### Additional information

VOC content: 6,9 % (DIN EN ISO 11890-2)

#### 16. Other information

##### Changes

Revision date: 26.06.2018

Revision No: 1,04,2

This data sheet contains changes from the previous version in section(s): 11,15.

##### Abbreviations and acronyms

CAS: Chemical Abstracts Service

CLP: Classification, Labeling and Packaging

DMEL: Derived Minimal Effect level

DNEL: Derived No Effect Level

EC50: Effective concentration, 50%

ErC50: EC50 in terms of reduction of growth rate

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA)

IMDG: International Maritime Code for Dangerous Goods

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

NOEC: No Observed Effect Concentration

OECD: Organisation for Economic Co-operation and Development

PBT: persistent, bioaccumulative and toxic

PEL: Permissible Exposure Limits

vPvB: very persistent and very bioaccumulative

PNEC: Predicted No Effect Concentration

REL: Recommended Exposure Limits

VOC: Volatile organic compound

##### Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**ULTRABOND ACRYL-8CC, Comp. B**

Revision date: 26.06.2018

Product code: SDB00020US

Page 1 of 7

**1. Identification****Product identifier**

ULTRABOND ACRYL-8CC, Comp. B

**Recommended use of the chemical and restrictions on use****Use of the substance/mixture**

compound mortar B-component (hardener)

**Uses advised against**

no restriction

**Details of the supplier of the safety data sheet**

Company name: Adhesives Technology Corp.  
 Street: 450 East Copans Road  
 Place: USA Pompano Beach, FL 33064  
 Telephone: (800) 892-1880  
 Internet: www.atcepoxy.com

**Emergency phone number:** CHEM TEL: (800) 255-3924 (24/7)**2. Hazard(s) identification****Classification of the chemical****29 CFR Part 1910.1200**

Serious eye damage/eye irritation: Eye Irrit. 2A  
 Respiratory or skin sensitization: Skin Sens. 1

**Label elements****29 CFR Part 1910.1200****Signal word:** Warning**Pictograms:****Hazard statements**

May cause an allergic skin reaction  
 Causes serious eye irritation

**Precautionary statements**

If medical advice is needed, have product container or label at hand.  
 Keep out of reach of children.  
 Avoid breathing dust/fume/gas/mist/vapors/spray.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 Dispose of contents/container to in accordance with local/regional/national/international regulation.

**Hazards not otherwise classified**

This substance meets the PBT criteria of REACH, Annex XIII.

**3. Composition/information on ingredients****Mixtures****Hazardous components**

CAS No	Components	Quantity
94-36-0	dibenzoyl peroxide; benzoyl peroxide	11.15 %

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### ULTRABOND ACRYL-8CC, Comp. B

Revision date: 26.06.2018

Product code: SDB00020US

Page 2 of 7

#### 4. First-aid measures

##### Description of first aid measures

###### **General information**

Change contaminated, saturated clothing.

###### **After inhalation**

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

###### **After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

###### **After contact with eyes**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

###### **After ingestion**

Rinse mouth immediately and drink plenty of water.

##### Most important symptoms and effects, both acute and delayed

Allergic reactions

##### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### 5. Fire-fighting measures

##### Extinguishing media

###### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.  
Extinguishing powder  
Water spray jet

###### **Unsuitable extinguishing media**

Full water jet

##### Specific hazards arising from the chemical

Pyrolysis products, toxic  
Carbon monoxide

##### Special protective equipment and precautions for fire-fighters

In case of fire and/or explosion do not breathe fumes.  
Wear a self-contained breathing apparatus and chemical protective clothing.

##### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### 6. Accidental release measures

##### Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation.  
Use personal protection equipment.  
Special danger of slipping by leaking/spilling product.

##### Environmental precautions

Do not allow to enter into surface water or drains.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

##### Methods and material for containment and cleaning up

Take up mechanically.  
Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).  
Treat the recovered material as prescribed in the section on waste disposal.

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**ULTRABOND ACRYL-8CC, Comp. B**

Revision date: 26.06.2018

Product code: SDB00020US

Page 3 of 7

**Reference to other sections**

Safe handling: see section 7  
 Personal protection equipment (PPE): see section 8  
 Disposal: see section 13

**7. Handling and storage**

**Precautions for safe handling**

**Advice on safe handling**

Use only outdoors or in a well-ventilated area.  
 When using do not eat, drink or smoke.  
 Use protective skin cream before handling the product.

**Advice on protection against fire and explosion**

No special fire protection measures are necessary.

**Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep container tightly closed.  
 Keep/Store only in original container.

**Advice on storage compatibility**

Do not use for products which come into contact with the food stuffs.  
 Store in a well-ventilated place. Keep cool.

**Further information on storage conditions**

Keep container tightly closed in a cool place.  
 storage temperature 5-25°C

**8. Exposure controls/personal protection**

**Control parameters**

**Exposure limits**

CAS No.	Substance	ppm	mg/m <sup>3</sup>	f/cc	Category	Origin
94-36-0	Benzoyl peroxide	-	5		TWA (8 h)	REL
			5		TWA (8 h)	REL
14808-60-7	Silica, crystalline (as respirable dust)	-	0.05		TWA (8 h)	REL
14808-60-7	Silica, crystalline quartz, respirable dust	(Z-3)	(Z-3)		TWA (8 h)	REL

**Additional advice on limit values**

The contained quartz is firmly bound in the pasty component, and thus not freely available during use, so that a risk of dust inhalation is excluded.

**Exposure controls**



**Protective and hygiene measures**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.  
 Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Eye/face protection**

Suitable eye protection: Wear eye/face protection.

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### ULTRABOND ACRYL-8CC, Comp. B

Revision date: 26.06.2018

Product code: SDB00020US

Page 4 of 7

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Wearing time with occasional contact (splashes): 0,4mm NBR (Nitrile rubber) >480min (EN374)

Wearing time with permanent contact 0,5mm NBR (Nitrile rubber) >480min (EN374)

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state:	Paste	
Color:	black	
Odor:	characteristic	
pH-Value:		not applicable

#### Changes in the physical state

Melting point/freezing point:	not determined
Initial boiling point and boiling range:	not determined
Flash point:	not applicable

#### Flammability

Solid:	not determined
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined

#### Auto-ignition temperature

Solid:	not determined
Gas:	not applicable
Decomposition temperature:	not determined

#### Oxidizing properties

Not oxidising.	
Available oxygen content (%) < 1%	
no classification	
Vapor pressure:	not determined
Density (at 20 °C):	1,59 g/cm <sup>3</sup>
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.

#### Solubility in other solvents

not determined	
Partition coefficient:	not determined
Vapor density:	not determined
Evaporation rate:	not determined

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### ULTRABOND ACRYL-8CC, Comp. B

Revision date: 26.06.2018

Product code: SDB00020US

Page 5 of 7

#### Other information

Solid content: not determined

#### 10. Stability and reactivity

##### Reactivity

see section 10.3

##### Chemical stability

The product is stable under storage at normal ambient temperatures.

##### Possibility of hazardous reactions

Violent reaction with: Oxidising agent

##### Conditions to avoid

see section 7.2

##### Incompatible materials

Oxidising agent, strong

##### Hazardous decomposition products

No known hazardous decomposition products.

#### 11. Toxicological information

##### Information on toxicological effects

##### Acute toxicity

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
94-36-0	dibenzoyl peroxide; benzoyl peroxide				
	oral	LD50 >5000 mg/kg	Rat		

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): Silica dust, crystalline, in the form of quartz or cristobalite (CAS 14808-60-7) is listed in group 1. Benzoyl peroxide (CAS 94-36-0) is listed in group 3.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

#### 12. Ecological information

##### Ecotoxicity

The product is not: Ecotoxic.

OECD 201 (Desmodesmus subspicatus )

IC10: (0 - 72 h) = 30 mg/l

IC50: (0 - 72 h) = 150 mg/l

OECD 202 (Daphnia magna)

EC0/NOEC (48h) = 100 mg/l

EC50 (48h) = >500 mg/l

EC100 (48h) = >>500 mg/l

OECD 203 (Danio rerio)

LC0/NOEC : 250 mg/l

LC50 : > 500 mg/l

LC100 : >> 500 mg/l

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### ULTRABOND ACRYL-8CC, Comp. B

Revision date: 26.06.2018

Product code: SDB00020US

Page 6 of 7

#### **Persistence and degradability**

The product has not been tested.

#### **Bioaccumulative potential**

The product has not been tested.

#### **Mobility in soil**

The product has not been tested.

#### **Other adverse effects**

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### 13. Disposal considerations

#### **Waste treatment methods**

##### **Advice on disposal**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

##### **Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### 14. Transport information

#### **US DOT 49 CFR 172.101**

##### **Proper shipping name:**

Not a hazardous material with respect to these transport regulations.

#### **Marine transport (IMDG)**

##### **UN number:**

No dangerous good in sense of this transport regulation.

##### **UN proper shipping name:**

No dangerous good in sense of this transport regulation.

##### **Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

##### **Packing group:**

No dangerous good in sense of this transport regulation.

#### **Air transport (ICAO-TI/IATA-DGR)**

##### **UN number:**

No dangerous good in sense of this transport regulation.

##### **UN proper shipping name:**

No dangerous good in sense of this transport regulation.

##### **Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

##### **Packing group:**

No dangerous good in sense of this transport regulation.

#### **Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

#### **Special precautions for user**

No information available.

#### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

not applicable

### 15. Regulatory information

#### **U.S. Regulations**

##### **National Inventory TSCA**

All ingredients of this material are included on the TSCA Inventory.

##### **National regulatory information**

SARA Section 311/312 Hazards:

## Safety Data Sheet

according to 29 CFR 1910.1200(g)

### ULTRABOND ACRYL-8CC, Comp. B

Revision date: 26.06.2018

Product code: SDB00020US

Page 7 of 7

Benzoyl peroxide (94-36-0): Reactive, Immediate (acute) health hazard

SARA Section 313 Toxic release inventory:

Benzoyl peroxide (94-36-0): De minimis limit = 1.0 %, Reportable threshold = Standard

#### State Regulations

##### Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product contains no chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

#### Additional information

VOC content: 4,3 % (DIN EN ISO 11890-2)

### 16. Other information

#### Changes

Revision date: 26.06.2018

Revision No: 1,02,0

This data sheet contains changes from the previous version in section(s): 15.

#### Abbreviations and acronyms

CAS: Chemical Abstracts Service

CLP: Classification, Labeling and Packaging

DMEL: Derived Minimal Effect level

DNEL: Derived No Effect Level

EC50: Effective concentration, 50%

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA)

ICAO: International Civil Aviation Organization

IC50: Inhibitory concentration, 50%

IMDG: International Maritime Code for Dangerous Goods

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

NOEC: No Observed Effect Concentration

OECD: Organisation for Economic Co-operation and Development

PBT: persistent, bioaccumulative and toxic

vPvB: very persistent and very bioaccumulative

PNEC: Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses (Regulations Concerning the International Carriage of Dangerous Goods by Rail)

VOC: Volatile organic compound

#### Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*