



Version: 3.0 Revision Date: 06/23/2017

# SAFETY DATA SHEET

#### 1. Identification

Material name: SPEED CRETE PM Material: TR5100650PM

#### Recommended use and restriction on use

**Recommended use:** Cement, Portland, chemicals **Restrictions on use:** Not known.

#### Manufacturer/Importer/Supplier/Distributor Information

Euclid Admixture Canada Inc. 2835 Grand-Allee Saint Hubert QC J4T 2R4 CA

Contact person: Telephone: Emergency telephone number: EH&S Department (450)465-2233 1-800-424-9300 (US); 1-613-996-6666 (Canada)

#### 2. Hazard(s) identification

#### **Hazard Classification**

Health Hazards	
Acute toxicity (Inhalation - dust and mist)	Category 4
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 1
Skin sensitizer	Category 1
Carcinogenicity	Category 1A
Specific Target Organ Toxicity - Single Exposure	Category 3 <sup>1.</sup>
Specific Target Organ Toxicity - Repeated Exposure	Category 1 <sup>1.</sup>

#### **Target Organs**

1. Respiratory tract irritation.

2. Lung

#### Unknown toxicity - Health

Acute toxicity, oral	70.89 %
Acute toxicity, dermal	79.1 %
Acute toxicity, inhalation, vapor	100 %
Acute toxicity, inhalation, dust or mist	87.42 %

#### Label Elements



Hazard Symbol:

Danger
Harmful if inhaled. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to organs through prolonged or repeated exposure.
Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product.
IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention. Immediately call a POISON CENTER/doctor/ Specific treatment (see this label). Wash contaminated clothing before reuse.
Store locked up. Store in a well-ventilated place. Keep container tightly closed.
Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
-------------------	------------	-------------------------



Portland cement	65997-15-1	20 - <50%
Crystalline Silica (Quartz)/ Silica Sand	14808-60-7	20 - <50%
Trade Secret	Trade Secret	10 - <20%
Calcium salt	7778-18-9	5 - <10%
Fly Ash	68131-74-8	1 - <5%
Clay	1332-58-7	0.1 - <1%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures		
Ingestion:	Call a POISON CENTRE/doctor/ if you feel unwell. Rinse mouth.	
Inhalation:	Move to fresh air.	
Skin Contact:	Get medical attention. Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.	
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately.	
Most important symptoms/effects, acute and delayed		
Symptoms:	Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. Extreme irritation of eyes and mucous membranes, including burning and tearing. Respiratory tract irritation.	
Indication of immediate medical	attention and special treatment needed	
Treatment:	Symptoms may be delayed.	
5. Fire-fighting measures		
General Fire Hazards:	No unusual fire or explosion hazards noted.	
Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical:	During fire, gases hazardous to health may be formed.	
Special protective equipment a	nd precautions for firefighters	



Special fire fighting procedures:	No data available.
Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
6. Accidental release measures	\$
Personal precautions, protective equipment and emergency procedures:	See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.
Methods and material for containment and cleaning up:	Collect spillage in containers, seal securely and deliver for disposal according to local regulations.
Notification Procedures:	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.
7. Handling and storage	
Precautions for safe handling:	Ventilate well, avoid breathing vapors. Use approved respirator if air contamination is above accepted level. Use mechanical ventilation in case of handling which causes formation of dust. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Do not get in eyes. Avoid contact with skin. Avoid contact with eyes, skin, and clothing.
Conditions for safe storage, including any incompatibilities:	Store locked up.

# 8. Exposure controls/personal protection

#### **Control Parameters**

#### **Occupational Exposure Limits**

Chemical Identity	Туре	Exposure Limit Values	Source
Portland cement - Respirable fraction.	TWA	1 mg/m3	US. ACGIH Threshold Limit Values (2011)
Portland cement - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Portland cement - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Portland cement	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction.	TWA	0.025 mg/m3	US. ACGIH Threshold Limit Values (2011)
Crystalline Silica (Quartz)/	TWA	2.4 millions	US. OSHA Table Z-3 (29 CFR 1910.1000)



Silica Sand - Respirable.		of particles per cubic foot of air	(2000)
	TWA	0.1 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	TWA	0.05 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (03 2016)
	OSHA_AC T	0.025 mg/m3	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (03 2016)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	PEL	0.05 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (03 2016)
Calcium salt - Total	REL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
Calcium salt - Respirable.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
Calcium salt - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Calcium salt - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Calcium salt - Total dust.	TWA	15 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
Calcium salt - Respirable fraction.	TWA	5 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
Calcium salt	AN ESL	5 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (03 2014)
	ST ESL	50 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (03 2014)
Calcium salt - Inhalable fraction.	TWA	10 mg/m3	US. ACGIH Threshold Limit Values (2011)
Calcium salt - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Calcium salt - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Clay - Respirable fraction.	TWA	2 mg/m3	US. ACGIH Threshold Limit Values (2011)
	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Clay - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
Clay - Respirable fraction.	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
Clay - Total dust.	TWA	15 mg/m3	US. ÓSHA Table Z-3 (29 CFR 1910.1000) (03 2016)



Chemical name	Туре	Exposure Limit Values	Source
Portland cement - Total dust.	TWA	10 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Portland cement - Respirable fraction.	TWA	3 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Portland cement - Respirable fraction.	TWA	1 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Portland cement - Total dust.	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Portland cement - Respirable dust.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction.	TWA	0.025 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction.	TWA	0.10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	TWA	0.1 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Calcium salt	TWA	10 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Calcium salt - Inhalable	TWA	10 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Calcium salt - Inhalable fraction.	TWA	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Calcium salt - Total dust.	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Calcium salt - Respirable dust.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)

Appropriate Engineering<br/>ControlsMechanical ventilation or local exhaust ventilation may be required.<br/>Observe good industrial hygiene practices. Observe occupational exposure<br/>limits and minimize the risk of inhalation of dust.

#### Individual protection measures, such as personal protective equipment

General information:	Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Eye/face protection:	Wear a full-face respirator, if needed. Wear safety glasses with side shields (or goggles) and a face shield.
Skin Protection	



Hand Protection:	Use suitable protective gloves if risk of skin contact.
Other:	Wear suitable protective clothing. Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Hygiene measures:	Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Do not get in eyes. Wash contaminated clothing before reuse. Avoid contact with skin. Contaminated work clothing should not be allowed out of the workplace.

# 9. Physical and chemical properties

#### Appearance

Physical state: solid	
Form: Powder	
Color: Gray	
Odor: Odorless	
Odor threshold: No data available.	
pH: No data available.	
Melting point/freezing point: No data available.	
Initial boiling point and boiling range: No data available.	
Flash Point:No data available.	
<b>Evaporation rate:</b> No data available.	
Flammability (solid, gas): No	
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%): No data available.	
Flammability limit - lower (%): No data available.	
Explosive limit - upper (%): No data available.	
Explosive limit - lower (%): No data available.	
Vapor pressure: No data available.	
Vapor density: No data available.	
Relative density: 3.5	
Solubility(ies)	
Solubility in water: Miscible with water	
Solubility (other): No data available.	
Partition coefficient (n-octanol/water): No data available.	
Auto-ignition temperature: No data available.	
<b>Decomposition temperature:</b> No data available.	
Viscosity: No data available.	



10. Stability and reactivity			
Reactivity:	No data available.		
Chemical Stability:	Material is stable under normal conditions.		
Possibility of hazardous reactions:	No data available.		
Conditions to avoid:	Avoid heat or contamination.		
Incompatible Materials:	No data available.		
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.		
11. Toxicological information			
Information on likely routes of Inhalation:	exposure In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.		
Skin Contact:	May be harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction.		
Eye contact:	Causes serious eye damage.		
Ingestion:	May be harmful if swallowed.		
Symptoms related to the physical, chemical and toxicological characteristics			
Inhalation:	No data available.		
Skin Contact:	No data available.		
Eye contact:	No data available.		
Ingestion:	Ingestion: No data available.		
Information on toxicological eff	fects		
Acute toxicity (list all possible routes of exposure)			
Oral Product:	ATEmix: 2,618.75 mg/kg		
Dermal Product:	ATEmix: 3,330.71 mg/kg		
Inhalation Product:	ATEmix: 1.9 mg/l		



Repeated dose toxicity Product:	No data available.		
Skin Corrosion/Irritation Product:	No data available.		
Specified substance(s): Trade Secret	in vivo (Rabbit): Not irritant Experimental result, Key study		
Calcium salt	in vivo (Rabbit): Not irritant Experimental result, Key study		
Fly Ash	in vivo (Rabbit): Not irritant Experimental result, Key study		
Serious Eye Damage/Eye Irritat Product: Specified substance(s):	<b>ion</b> No data available.		
Calcium salt	Rabbit, 72 hrs: Not irritating		
Fly Ash	Moderately irritating		
Respiratory or Skin Sensitizatio Product:	n No data available.		
Carcinogenicity Product:	No data available.		
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:			
Crystalline Silica (Quartz)/ Silica Sand	Overall evaluation: Carcinogenic to humans.		
<b>US. National Toxicology Program (NTP) Report on Carcinogens:</b> Crystalline Silica Known To Be Human Carcinogen. (Quartz)/ Silica Sand			
US. OSHA Specifically Regulate Crystalline Silica (Quartz)/ Silica Sand	ed Substances (29 CFR 1910.1001-1050): Cancer		



# Germ Cell Mutagenicity

In vitro Product:	No data available.	
In vivo Product:	No data available.	
Reproductive toxicity Product:	No data available.	
Specific Target Organ Toxicity Product:	<b>y - Single Exposure</b> No data available.	
Specific Target Organ Toxicity Product:	<b>y - Repeated Exposure</b> No data available.	
<b>Target Organs</b> Specific Target Organ Toxicity - Single Exposure: Respiratory tract irritation. Specific Target Organ Toxicity - Repeated Exposure: Lung		
Aspiration Hazard Product:	No data available.	
Other effects:	No data available.	

# 12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:		
Fish Product:	No data available.	
Specified substance(s): Calcium salt	LC 50 (Fathead minnow (Pimephales promelas), 96 h): > 1,970 mg/l Mortality	
Aquatic Invertebrates Product:	No data available.	
Chronic hazards to the aquatic environment:		
Fish Product:	No data available.	



Aquatic Invertebrates Product:	No data available.
Toxicity to Aquatic Plants Product:	No data available.
Persistence and Degradability	
Biodegradation Product:	No data available.
BOD/COD Ratio Product:	No data available.
Bioaccumulative potential Bioconcentration Factor (B0 Product:	CF) No data available.
Partition Coefficient n-octanol / v Product:	water (log Kow) No data available.
Mobility in soil:	No data available.
Other adverse effects:	No data available.
13. Disposal considerations	
Disposal instructions:	Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Contaminated Packaging:	No data available.
14. Transport information	

# TDG:

Not Regulated

#### CFR / DOT:

Not Regulated



#### IMDG:

Not Regulated

#### 15. Regulatory information

#### **US Federal Regulations**

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

# Chemical Identity

Crystalline Silica (Quartz)/ Silica Sand OSHA hazard(s) kidney effects lung effects immune system effects Cancer

#### CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard Acute toxicity Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Skin sensitizer Carcinogenicity Specific Target Organ Toxicity - Single Exposure Specific Target Organ Toxicity - Repeated Exposure

#### SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

#### SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

#### SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
Portland cement	10000 lbs
Crystalline Silica (Quartz)/	10000 lbs
Silica Sand	
Trade Secret	10000 lbs
Calcium salt	10000 lbs
Fly Ash	10000 lbs
Clay	10000 lbs

#### SARA 313 (TRI Reporting)

None present or none present in regulated quantities.



#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) None present or none present in regulated quantities.

#### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

#### **US State Regulations**

#### **US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm. Crystalline Silica (Quartz)/ Carcinogenic. 09 2011 Silica Sand

Lithium carbonate Developmental toxin. 09 2011

#### US. New Jersey Worker and Community Right-to-Know Act

<u>Chemical Identity</u> Portland cement Crystalline Silica (Quartz)/ Silica Sand Calcium salt

#### **US. Massachusetts RTK - Substance List**

<u>Chemical Identity</u> Portland cement Crystalline Silica (Quartz)/ Silica Sand Calcium salt Hydrotreated light naphthenic distillate

#### US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Portland cement Crystalline Silica (Quartz)/ Silica Sand Calcium salt

#### US. Rhode Island RTK

Chemical Identity

Portland cement Crystalline Silica (Quartz)/ Silica Sand

#### International regulations

Montreal protocol

not applicable

#### Stockholm convention

not applicable

**Rotterdam convention** 

not applicable

Kyoto protocol not applicable



VOC: Regulatory VOC (less water and exempt solvent)	:	< 5 g/l	
VOC Method 310	:	0.01 %	
Inventory Status: Australia AICS:			One or more components in this product are not listed on or exempt from the Inventory.
EINECS, ELINCS or NLP:			One or more components in this product are not listed on or exempt from the Inventory.
Japan (ENCS) List:			One or more components in this product are not listed on or exempt from the Inventory.
China Inv. Existing Chemical Substance	es:		One or more components in this product are not listed on or exempt from the Inventory.
Korea Existing Chemicals Inv. (KECI):			One or more components in this product are not listed on or exempt from the Inventory.
Canada NDSL Inventory:			One or more components in this product are not listed on or exempt from the Inventory.
Philippines PICCS:			One or more components in this product are not listed on or exempt from the Inventory.
US TSCA Inventory:			All components in this product are listed on or exempt from the Inventory.
New Zealand Inventory of Chemicals:			One or more components in this product are not listed on or exempt from the Inventory.
Japan ISHL Listing:			One or more components in this product are not listed on or exempt from the Inventory.
Japan Pharmacopoeia Listing:			One or more components in this product are not listed on or exempt from the Inventory.
Canada DSL Inventory List:			All components in this product are listed on or exempt from the Inventory.



# 16.Other information, including date of preparation or last revision

Revision Date:	06/23/2017
Version #:	3.0
Further Information:	No data available.
Disclaimer:	For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.