

**STEGO® TERM BAR
SAFETY DATA SHEET**

Revision Date: January 29, 2025 | Date of Issue: August 11, 2015 | Version Number: 4.0

SECTION 1: IDENTIFICATION**Product Identifier****Product Name:** Stego Term Bar**Intended Use of the Product**

Construction, Industrial. Termination bar, detail strip.

Company Name, Address, and Telephone of the Responsible PartyStego Industries, LLC
216 Avenida Fabricante #101
San Clemente, CA 92672 USA
P: (877) 464-7834**Emergency Telephone Number****Emergency Number:** 1 (800) 424-9300 (24 Hrs.) CHEMTREC**SECTION 2: HAZARDS IDENTIFICATION**

None reportable.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**Ingredients:**

Chemical Name	CAS Number	% by Weight
Polyvinyl Chloride Resin (PVC)	9002-86-2	>99

Route(s) of Entry:**Eye Contact:** No hazards associated with product at ambient conditions. Processing at elevated temperatures may produce vapors. Appropriate eye protections should be worn in occupational setting.**Skin Contact:** No hazards associated with product at ambient conditions. Processing at elevated can present exposure hazards such as burns. Gloves and protective clothing should be worn when handling at elevated temperatures.**Inhalation:** No hazards associated with product at ambient conditions. Processing at elevated temperatures may produce vapors and emissions. Adequate ventilation should be provided in work area.**Ingestion:** None likely to occur in normal occupational use.**SECTION 4: FIRST AID MEASURES****Eye:** In case of eye irritation from the use of this product, immediately flush eyes with water and seek medical assistance if irritation persists.**Skin:** If skin irritation occurs from handling this product, was affected area with water. Seek medical attention if irritation persists or signs of allergic reaction are present (extreme reddening, swelling, severe itching, rash, etc.)**Inhalation:** If respiratory irritation occurs from handling this product, move person to well-ventilated area. Signs of respiratory irritation may include dryness or soreness of the nose and throat, persistent coughing, sneezing, etc.*Continued...**Note - legal notice on page 4.*



STEGO® TERM BAR SAFETY DATA SHEET

Revision Date: January 29, 2025 | Date of Issue: August 11, 2015 | Version Number: 4.0

SECTION 5: FIRE-FIGHTING MEASURES

Flashpoint: Not applicable.

Lower Explosion Limit (LEL): Not applicable.

Upper Explosion Limit (UEL): Not applicable.

Extinguishing Media: Water, ABC dry powder, CO₂, and protein-type foams.

Special Fire Fighting Procedures: Fire Fighters should wear full protective clothing, including self-contained breathing apparatus.

Unusual Fire/Explosion Hazards: Products of combustion may include hydrogen chloride, carbon monoxide, carbon dioxide, aliphatic and aromatic hydrocarbons, etc.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures: Not applicable. Product is a solid.

CERCLA Reportable Quantity (RQ): Not applicable.

SECTION 7: HANDLING AND STORAGE

Handling: This material should be handled in accordance with good industrial and hygiene practices, including thorough washing after handling and before eating, drinking, or using tobacco products.

Storage: This product should be stored in dry conditions, at room temperature, and away from direct light.

Please review the remainder of the SDS and relevant technical data sheets for storage and additional information. If any of the conditions cited above pose a problem for the typical installation of the Stego Term Bar, please contact Stego Industries for additional information and solutions.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Eye Protection: Wear safety glasses or goggle whenever handling this material in an occupational setting.

Skin Protection: Although plastic forms present no unusual hazards when handling, gloves and protective clothing should be worn, particularly when working with this material at elevated temperatures.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Appearance	Solid plastic form/strips
Physical State	Solid
Odor	Slight "plastic" odor
Specific Gravity	1.31
Vapor Pressure	Not applicable
Melting Point (C)	Not applicable
Solubility in Water	Negligible

Continued...

Note - legal notice on page 4.



STEGO® TERM BAR SAFETY DATA SHEET

Revision Date: January 29, 2025 | Date of Issue: August 11, 2015 | Version Number: 4.0

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions of handling, use and transportation.

Hazardous Polymerization: Will not occur.

Hazardous Decomposition Products: Products of hazardous decomposition may include hydrogen chloride, carbon monoxide, carbon dioxide, aliphatic and aromatic hydrocarbons, etc.

Conditions to Avoid: Burning this product can produce toxic fumes.

Materials to Avoid: Do not process in the presence of polyacetal. Hazardous decomposition can occur.

SECTION 11: TOXICOLOGICAL INFORMATION

This product is a thermoplastic compound produced from a base of polymer(s) and a number of additives. Toxicological information is currently not available for this product. However, some data may be available for individual components. Because these components are proprietary, information disclosure about specific components must be done on a case-by-case basis.

SECTION 12: ECOLOGICAL INFORMATION

Ecological information is currently not available for this product. As with toxicological data, information may be available for some or all of the individual components. Again, because of the proprietary nature of the components, disclosure on specific components must be done on a case-by-case basis.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal of Waste: This material is not a RCRA hazardous waste. Dispose material in accordance with local, state, and federal laws.

Recycling: Thermoplastic compounds lend themselves to recycling. Recycling is preferred over waste disposal.

SECTION 14: TRANSPORT INFORMATION

US Department of Transportation Classification: This material is not classified as hazardous under 49 CFR Parts 171-180

International Air Transportation Association Classification (IATA): This material is not classified as hazardous.

International Maritime Organization (IMDG): This material is not classified as hazardous.

UN, IMO, ADR/RID, ICAO Code: This material is not dangerous for conveyance under those codes.

SECTION 15: REGULATORY INFORMATION

All the components of this product are on the Toxic Substances Control Act (TSCS) Inventory, or are exempt – YES

All component of this product appear on the Canadian Domestic Substance List (DSL) Inventory – YES

California Proposition 65 – Safe Drinking Water and Toxic Enforcement Act of 1986 WARNING: This product contains one or more substances, known to the state of California to cause cancer, birth defects or other reproductive harm – NO

This product complies with the requirements of the European Union's RoHS Directive, officially known as "DIRECTIVE 2011/65/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 8 JUNE 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (recast)" – YES

This product contains, or was manufactured with, a Class I or Class II ozone depleting substance (ODS) as defined under the Clean Air Act (CAA) and described in 40 CFR 82 – NO

Continued...

Note - legal notice on page 4.

**STEGO® TERM BAR
SAFETY DATA SHEET**

SDS

P4 of 4

Revision Date: January 29, 2025 | Date of Issue: August 11, 2015 | Version Number: 4.0

SECTION 15: REGULATORY INFORMATION *Continued...***Reach SVHC**

This product contains the following Substances of Very High Concern (SVHC) as identified by the European Chemicals Agency (ECHA) under the European Union's REACH regulation 1907/2006/EC.

--- None Reportable ---

SECTION 313 Supplier Notification

This product contains the following toxic chemical subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right to Know Act of 1986 and of 40 CFR 372:

--- None Reportable ---

SECTION 16: OTHER INFORMATION**Hazards Rating Systems:**

HMIS Classification: Health = 2; Flammability = 1; Reactivity = 0

NFPA Rating: Health = 1; Flammability = 1; Reactivity = 0

Disclaimer: The information contained herein only applies to the noted product. To the best of our knowledge, having been obtained through our suppliers or third parties, this information is accurate. We make no warranties, express or implied, concerning this information or the safe use of the noted product, and we disclaim liability from loss, damage, or other from the product's use, handling, or storage. Users are responsible for verifying the fitness/suitable of the product for any purposes/applications and for confirming compliance with any/all relevant codes or regulations.

Please read the Product Statements for all Stego® products by navigating here: stegoindustries.com/legal

STEGO INDUSTRIES, LLC • SAN CLEMENTE, CA • 949-257-4100 • 877-464-7834

Stego Industries, LLC ("Stego") Intellectual Property, Installation, Warranty, and State Approval Information: stegoindustries.com/legal.
©2025 Stego Industries, LLC. All rights reserved.stegoindustries.com